# MILITARY-SPEC

Sewing Supplies Catalog



## Mil-Spec Sewing Threads

## **POLYESTER**

### MIL-DTL-32072

## Superseding V-T-285F

- I Twisted soft multiple cord
- II Twisted bonded multiple cord
- III Bonded monocord
- IV Soft air entangled
- V Bonded air entangled

### Classes:

Class 1 Normal elongation

Class 3 Heat Stable-low shrinkage

## COTTON

#### A-A-52094A

- I Machine thread, soft finish
- II Machine thread, glazed finish
- III Machine thread, mercerized finish
- IV Shoe thread, soft finish
- V Shoe thread, glazed finish

## NYLON

### V-T-295E

- I Twisted multiple cord, soft finish
- II Twisted multiple cord, bonded finish
- III Monocord, bonded finish
- IV Hand-sewing twist, waxed finish
- V Buttonhole twist, hand-sewing (waxed)
- VI Tailoring, twisted multiple cord, soft finish
- VII Quilting thread, coreless cocoon bobbins and top thread, twisted multiple cord, soft finish

### Classes:

Class A General Purpose

Class B Nonwicking (type I only)

## COTTON COVERED POLYESTER & POLYESTER COVERED POLYESTER

#### A-A-50199A

- I Cotton-covered
- II Polyester-covered

All Mil-Spec sewing thread is non standard stock and requires minimum lot orders, based on type of thread, size and color. Please allow 3-4 weeks for delivery. Certificates of compliance shipped with each order.

#### **Standard Colors**

 Black
 White
 Foliage Green 504
 C. Green 483 34094

 Khaki P-1 66019
 ODS-1 66022
 Tan 380
 Coyote 498





## Mil-Spec Hook & Loop Fasteners



## **Printed Permanent Care Labels**

Meets military specifications DDD-L-20F and MIL-DTL-32075 as well as AATCC IVA wash test requirements.







TO KEEP YOUR COAT LOOKING SMART INSIST ON IT BEING PROPERLY PRESSED. PRESSING INSTRUCTIONS

- 1. AVOID PRESSING DRY OR WITH TOO HOT AN IRON. 2. REMOVE ALL GLOSS FROM EDGES AND SEAMS BY PRESSING WITH DAMP CLOTH.

3. CREASE ONLY LOWER THREE-FOURTHS OF SLEEVES 4. CREASE COLLAR BREAKLINE SOLID.





All labels are custom made to size. There is a minimum order requirement of 3000 labels Please allow 10 days for delivery

